

# KYLOS FOREVER

> Remote Tracking, Monitoring & Management of **valuable assets**



**STARCOM**  
Systems

 **x3**  
  
**VTs**  
Solutions Inc.



[info@vtssolution.com](mailto:info@vtssolution.com)



[www.vtssolution.com/starcom](http://www.vtssolution.com/starcom)

# KYLOS FOREVER



Kylos Forever is a long lasting asset protecting solution. The Kylos Forever will track and monitor your assets or equipment for months at a time, with its battery that lasts up to 3 years.

The system triggers an alert with any irregular event. This includes any change of location, temperature, impacts, or light exposure. You'll receive a real time alert and after the fact report. Kylos Forever is a standalone unit, capable of operating without the need for any connection or external wiring- this makes it easily hidden if required.

## Measured Values:

- GPS Location
- Temperature
- Light
- Impact



Starcom's superior technology - built to work better and last longer

## Kylos Forever - General Specifications:

Battery	Lithium-ion	3.7V, 5000 mAh
Temperature	Operational Storage	-20°C to +60°C -40°C to +85°C
Operating Humidity	Up to 100%	
Measurement	165 x 35 x 40 mm, 200 grams	
Cellular Communication	GSM/GPRS-default Optional Modems Antenna type Data channels Protocol	Quad Band (850, 900, 1800, 1900) UMTS/HSPA+, CDMA/1xRTT/EV-DO Built-in (concealed) SMS & TCP/IP Propriety – encrypted
Network	Data	GSM, GPRS and SMS
Messages	SMS GPRS	Encrypted Protocol TCP/IP over PPP
Positioning	Systems Receiver and Antenna Protocol Positioning accuracy Navigation Update Rate Navigation method Time to First Fix (TTFF)  Antenna	GPS, GLONASS Internal NMEA (Binary format): 10m CEP (50%) Velocity: 0.2m/s (50%) 1 second (Default) All-In-View solution 2-Satellite solution, A-GPS Hot Start: 2 sec Warm Start: 10 sec Cold Start: 50 sec Built in
CPU Capacity	Static RAM Nonvolatile Memory Flash Memory	128 Kb 34 Kb 2048 Kb
Sensors Light Temperature Accelerometer Barometer	Resolution / Range Resolution / Range Type / Resolution Resolution / Range	0.025 LUX / 0 - 104,448 LUX (Sunlight) ±1.0°C / -20°C to +60°C 3 Axis / 0.1g resolution ±1 hPa / 300 – 1100 hPa
Battery	Type Power	Lithium-ion 3.7V, 4500 mAh
Access Port	Type	TTL (USB cable is available)
Power Consumption	Sleep/Idle GPS only GPRS only GPS and GPRS	0.05 mAh 75 mAh 100 mAh 165 mAh
Battery Life	Transmissions Every 10 minutes Every 6 hours Every 24 hours	Work time 60 hours 90 days 300 days



# KYLOS FOREVER

> **Real-time solutions for people tracking and protection**



Autonomous units

Quick and easy installation

Events configuration

Audit log

Geofencing

Accelerometer

Information in memory

Roles and Authorizations for users

System based on the web

Multiple languages.

Starcom Systems is a leading global company, specializing in advanced automated real-time systems for remote tracking and management of vehicles, containers, assets and people. All systems are characterized in strength, stability and continuous performance.

Starcom Systems is publically traded on the AIM Market of the London Stock Exchange, conforming to the highest and most strict regulations in the market, proving its stability and reliability.

**STARCOM**  
Systems

Starcom's systems provide a complete solution, consisting of innovative equipment and unique software. Thanks to the user-friendliness of the system, it provides useful and effective solutions, based on each user's settings and requirements.

With more than 15 years of experience and expertise, Starcom Systems distributes and sells its products through 110 technology partners and independent operators in more than 53 countries, and its application operates in 32 languages. As a global company, Starcom Systems' products include certifications from all the leading standards in the world, including E 24 certification, Safety certification, EMC test certification, Tuv-Rheinland certification and more.



**Certificate ISO 9002**

Products tested in the field  
with global certification  
(TUV, FCC, E-24, and EMC)

info@vtssolution.com |  
www.vtssolution.com/starcom

